

delrin 3/4"

Work Order ID 144665

Friday, April 22, 2016 8:06:03 AM

144665

Page 1

Item ID: D3953-7

Accept

N900040100Setup Start ***NS1***

Revision ID:

Item Name: Spring Spacer

Stop ***NS2***

Start Date: 5/5/2016 Start Qty: 40.00

40

Cust Item ID:

Required Date: 5/9/2016 Req'd Qty: 40.00

40

Customer:

Reference:

Approvals:

Process Plan: MLSDate: APR 22 2016

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3953

C

100

0.00

100

Hardinge

Memo

2.80

Hardinge CNC Lathe Small

TURN AS PER FOLIO FA854 & DWG

FOLIO REV: AEDWG REV: AE

DEBURR

43 ϕ mmL
16/05/11

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.40

Quality Control

43 ϕ mmL
16/05/11

Work Order ID 144665

Friday, April 22, 2016 8:06:03 AM

144665

Page 2

Item ID: D3953-7

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Spring Spacer

Start Date: 5/5/2016

Start Qty: 40.00

40

Cust Item ID:

Required Date: 5/9/2016

Req'd Qty: 40.00

40

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.80

Quality Control

43

0

DAS

45

9-89

2016-5-11

130

Identify as per dwg & Stock Location: STOCK

0.00

130

Packaging

Memo

0.40

Packaging

43

0.40

MAY 12 2016

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

4.00

Quality Control

MLJ

MAY 13 2016

MAY 13 2016

MLJ

Picklist Print

April 21, 2016 3:15:19 PM

Page 1
1

Work Order ID: 144665

144665

Parent Item: D3953-7

D3953-7

Parent Item Name: Spring Spacer

Start Date: 5/5/2016

Required Date: 5/9/2016

Start Qty: 40.00

Required Qty: 40.00

Comments: IPP RevA: New issue DD verified by:EC
revC DD 10.03.02 verified by:EC

IPP Rev:B as per dwg

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MDEL RINR0.750		Purchased		No		100	f	70.1460	0.05	2.105264			

MDFI RINR0 750

Delrin Round Bar 0.75" color: black

Location

Loc Qty

Loc Code

MAT039

70.146

m134281

6.146

m134549

64

1.75 mark 16/05/17

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								


8 7 6 5 4 3 2 1




D3953-1 GAS SPRING BRACKET
(FULL LID)



D3953-3 GAS SPRING STUD, LID




D3953-5 GAS SPRING STUD, BASE




D3953-7 GAS SPRING SPACER




D3953-9 GAS SPRING WASHER




D3953-11 GAS SPRING SPACER



D3953-13 GAS SPRING SPACER
(FULL LID)



D3953-15 GAS SPRING BRACKET
(SPLIT LID)




D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)

RELEASED
2010-07-26




D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)


SHOP COPY
UNCONTROLLED COPY
SUBJECT TO DISCREPANCY
WITHOUT NOTICE
WORK ORDER
NO. 144-665 ML5
1604-22

C	PARTS -19 & -21 ADDED (SHT 1 & 4); CSK CALLOUT WAS CHAM (C6-2, B6-3, C6-4); G SYMM WAS G SYM ABOUT (C7-2, C7-4); SECTION C-C REPOSITIONED TO B2-4 REASON: ADDL PARTS REQD; DRAFTING ERRORS	JPH	10.01.29
B	SHEET 3 ZONE C1, DIM 0.05 MIN WAS 0.13, MULTIPLE DIMENSIONS MINMAX REMOVED TOLERANCE ADDED, REASON: DIFFICULTY INSTALLING COTTER PIN AT NEXT ASSY.	AJS	09.11.11
A	NEW ISSUE	AJS	09.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	GP	DRAWING NO.	REV. C
MFG. APPR.	GP	D3953	SHEET 1 OF 4
APPROVED	GP	TITLE	SCALE
DE APPR.	GP	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1




D3953-1 GAS SPRING BRACKET
(FULL LID)




SECTION A-A C7-2



D3953-3 GAS SPRING STUD, LID



D3953-5 GAS SPRING STUD, BASE



NOTES:



1) MATERIAL -1: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH,
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S11GA

-3 & -5: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B
OR:
AISII 304/316 STAINLESS STEEL ROD
REF DART SPEC M304R



- 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT -1: 0.11 lbs
-3: 0.03 lbs
-5: 0.06 lbs

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	Q	DRAWING NO.	REV. C
MFG. APPR.	E	D3953	SHEET 2 OF 4
APPROVED	J	TITLE	SCALE
DE APPR.	J	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



RELEASED
R 2010-02-26



D3953-7 GAS SPRING SPACER





D3953-9 GAS SPRING WASHER



SECTION B-B 87-3

D3953-11 GAS SPRING SPACER



D3953-13 GAS SPRING SPACER

NOTES:

1) MATERIAL -7,-9 & -11: DELRIN II 150E OR ACETRON GP ACETAL, BLACK
REF DART SPEC M-DELRIN-R

-13: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B

2) FINISH: N/A

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX


6) IDENTIFICATION -13 ONLY: IDENTIFY WITH DART P/N "D3953-13" USING FINE POINT PERMANENT INK MARKER

7) WEIGHT -7/-9/-11: < 0.01 lbs EACH


-13: 0.17 lbs

RELEASED
2010-02-26


DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3953	REV. C
MFG. APPR.	<i>[Signature]</i>	SHEET 3 OF 4	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3953-15 GAS SPRING BRACKET
(SPLIT LID)




D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)



D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)



SECTION C-C

NOTES:

1) MATERIAL -15/-19/-21: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH,
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S11GA

-17: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B

- 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT
-15: 0.08 lbs
-17: 0.10 lbs
-19: 0.07 lbs
-21: 0.06 lbs

RELEASED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 4 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FOR COMMERCIAL USE TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	